	Application No.	Applicant(s)	
Notice of Allowability		'	
	09/823,927 Examiner	TSUTSUI ET AL. Art Unit	
	Examiner		
	VIJAY SHANKAR	2629	
- The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to Amendment filed on 8-21-2006.			
2. The allowed claim(s) is/are 1-23 and 32-35, Renumbered as 1-27.			
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 			
1. ☐ Certified copies of the priority documents have been received.			
2. Certified copies of the priority documents have been received in Application No			
3. Copies of the certified copies of the priority documents have been received in this national stage application from the			
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.			
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached			
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date			
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).			
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s)	E Nation of Informal I	Potent Application	
1. Notice of References Cited (PTO-892)	5. Notice of Informal I	• • • • • • • • • • • • • • • • • • • •	
 Notice of Draftperson's Patent Drawing Review (PTO-948) Information Disclosure Statements (PTO/SB/08), 	Paper No./Mail Da	 6. ☐ Interview Summary (PTO-413), Paper No./Mail Date 7. ☐ Examiner's Amendment/Comment 	
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit		ent of Reasons for Allowance	
of Biological Material	9. Other	1 Ql. 16	
	a. 🔲 Other	MANDUN	
		VIJAY SHANKAR Primary Examiner Art Unit: 2629	

Application/Control Number: 09/823,927

Art Unit: 2629

Priority

1. Receipt is acknowledged of papers submitted under 35 U.S.C. 119(a)-(d), which papers have been placed of record in the file.

Allowable Subject Matter

- 2. Claims 1-23 and 32-35 are allowed.
- The following is an examiner's statement of reasons for allowance: The prior arts 3. fails to teach a driving circuit for a display device for generating a signal to allow a display section to display, the driving circuit comprising: a digital signal processing circuit for processing a digital signal; a digital-to-analog converter circuit for converting a digital signal to an analog display signal; and an analog signal processing circuit for processing an analog display signal; wherein when a predetermined power save is instructed, the digital-to-analog conversion process and the analog signal processing circuit operate with a supply voltage less than the supply voltage during normal operation and which still allows the digital-to-analog converter circuit and the analog signal processing circuit to operate; wherein a period in which the predetermined power save is instructed and the supply voltage is reduced includes a period in which display data is written to the display section and a display is realized; and wherein during a period in which the predetermined power save is instructed and the supply voltage is reduced, the digital-to-analog converter circuit outputs an analog display signal corresponding to a digital display signal.

Application/Control Number: 09/823,927 Page 3

Art Unit: 2629

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to VIJAY SHANKAR whose telephone number is (571) 272-7682. The examiner can normally be reached on M-F 7:00 am - 4:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, BIPIN SHALWALA can be reached on (571) 272-7681. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

VIJAY SHANKAR Primary Examiner Art Unit 2629